

GROUP 7

UNIVERSAL SHELVING SYSTEM PRODUCT RANGE




ORGANISATION IS POWER



Series 33

27 Eh

Universal shelving system with drawers and shelves






Universal shelving system with vertical drawers see page 194





Shelving system with drawers and shelves, depth 36 Eh see page 214



Standard colours:
 RAL 5012 RAL 6011 RAL 7035
  



 5-year Guarantee

 **For your safety all shelving systems must be secured to the floor or wall**

 Fixing material for shelving
 Part. No. 06-00046



Technical specifications



Internal dimensions

A Bay	Bay width 714 mm = 36 Eh	Usable width= 661 mm
	Bay width 1020 mm = 54 Eh	Usable width= 967 mm

B Shelving system depth	553 mm
	663 mm with Sliding doors
	616 mm with Roller shutter doors
	608 mm with Leaf doors

C Shelving system height with	1000 mm	1450 mm	2000 mm	2200 mm	2500 mm	3000 mm	
	Sliding doors	1000 mm	-	2000 mm	2200 mm	2500 mm	-
	Roller shutter doors	-	-	2250 mm	2450 mm	2750 mm	-
	Leaf doors	1000 mm	-	2000 mm	2200 mm	2500 mm	-

Uprights are slotted in increments of 25 mm

Load capacity

Shelving system height mm	No. of universal shelves	Usable height	Distance between upper - central-lower shelf mm	Load capacity per upright Kg
1000	2	900	-	5500
1450	2	1350	-	5000
2000	2	1900	-	4500
2000	3	1850	800-1200	5500
2200	3	2050	900-1300	5500
2500	3	2350	1050-1450	5250
3000	3	2850	1300-1700	5000




Load capacity is intended for evenly distributed loads



Series 33

27 Eh



Uprights

Made of high-quality steel, slotted in increments of 25 mm

Height mm	Depth mm	Width mm	Part. No.
1000	553	53	33-50010
1450	553	53	33-50014
2000	553	53	33-50020
2200	553	53	33-50022
2500	553	53	33-50025
3000	553	53	33-50030

Colours: see colour chart at the bottom of the page



Side panels

Made of high quality steel. Vertical finishing panels for end of bay-run



M10x110

Pair
Part. No.
06-00046



Height mm	Depth mm	Width mm	No. of panels	Part. No.
1000	553	23	1	33-55100
1450	553	23	1	33-55145
2000	553	23	2	33-55200
2200	553	23	2	33-55220
2500	553	23	2	33-55250
3000	553	23	2	33-55300

Colours: see colour chart at the bottom of the page



Back panels

Made of high-quality steel

To be used as an alternative to cross bracing fitted onto uprights to stabilise the unit bay.

Upright height mm	Bay 36 Eh Part. No.	Bay 45 Eh Part. No.	Bay 54 Eh Part. No.	Bay 64 Eh Part. No.	Bay 78 Eh Part. No.
1000	32-13610	-	32-15410	-	-
1450	32-13614	-	32-15414	-	-
2000	32-13620	-	32-15420	-	-
2200	32-13622	-	32-15422	-	-
2500	32-13625	-	32-15425	-	-
3000	32-13630	-	32-15430	-	-


Colours: see colour chart at the bottom of the page



Cross bracings

Made of galvanised steel. To be used as an alternative to back panels, fitted onto uprights to stabilise the unit bay.

Bay width mm	Eh	Shelving height	Part. No.
714	36	1000-1450	32-13710
714	36	2000-3000	32-13720
1020	54	1000-1450	32-15510
1020	54	2000-3000	32-15520




For safety, cross bracings must be used every third bay-section.

Standard colours:

RAL 5012 RAL 6011 RAL 7035



For your safety all shelving systems must be secured to the floor or wall




Universal shelves

Made of high-quality steel

Bay width		Usable width	Usable depth	Height	Plain Part. No.
mm	Eh	mm	mm	mm	
714	36	661	552	50	33-51036
1020	54	967	552	50	33-51054

Load capacity: 200kg

Colours: see colour chart at the bottom of the page



Adjustable shelves

Made of high-quality steel


Bay width		Usable width	Usable depth	Height	Slotted Part. No.
mm	Eh	mm	mm	mm	
714	36	661	552	35	33-52035
1020	54	967	552	35	33-52055

Load capacity: 200kg

Colours: see colour chart at the bottom of the page

Hooks (spare part)-Kit : 16 pieces

52-00006




Shelf dividers

Made of high-quality steel

Depth	Height	Part. No.
mm	mm	
537	95	33-52010
537	145	33-52015
537	195	33-52020

Colour: Light grey RAL 7035




Adjustable shelves for locking system

Made of high-quality steel. Lateral supports included

Bay width		Usable width	Usable depth	Height	Part. No.
mm	Eh	mm	mm	mm	
714	36	661	467	35	33-52038
1020	54	967	467	35	33-52058

Load capacity: 70kg

Colours: see colour chart at the bottom of the page




Shelf cover panels

Made of high-quality steel

Depth	Width	Part. No.
mm	mm	
444	80	33-53001

Colour: Light grey RAL 7035




Lower shelves

Made of high-quality steel

Bay width		Usable width	Usable depth	Height	Part. No.
mm	Eh	mm	mm	mm	
714	36	661	467	48	33-50036
1020	54	967	467	48	33-50054

Load capacity: 150kg

Colours: see colour chart at the bottom of the page



Shelf side panels

Made of high-quality steel


Depth	Height	Part. No.
mm	mm	
506	150	33-53015
506	200	33-53020
506	250	33-53025

Colour: Light grey RAL 7035



Load capacity is intended for evenly distributed loads


Standard colours:






Series 33

27 Eh



Upper shelves A
Lower shelves B
for partial height



Upper shelves C
Central shelves D
Lower shelves B
for full height

	Bay width		Usable width mm	Usable depth mm	Height mm	Part. No.
	mm	Eh				
A	714	36	661	552	50	33-51132
B	714	36	661	552	50	33-51134
A	1020	54	967	552	50	33-51152
B	1020	54	967	552	50	33-51154


Load capacity: 200kg

Colours: see colour chart at the bottom of the page

	Bay width		Usable width mm	Usable depth mm	Height mm	Part. No.
	mm	Eh				
C	714	36	661	552	50	33-51131
D	714	36	661	552	50	33-51133
B	714	36	661	552	50	33-51134
C	1020	54	967	552	50	33-51151
D	1020	54	967	552	50	33-51153
B	1020	54	967	552	50	33-51154


Load capacity: 200kg

Colours: see colour chart at the bottom of the page



Drawer locking systems
partial height

Usable height mm	Art. Nr.
300	33-53030
450	33-53045
600	33-53060
700	33-53070
750	33-53075
900	33-53090
1050	33-53105
1225	33-53122
1350	33-53135
1525	33-53152



Drawer locking systems
full height

Shelving height mm	Usable height mm	Part. No.
2000	900+950	33-53200
2200	900+1150	33-53220
2500	900+1450	33-53250
3000	900+1950	33-53300

Standard colours:



36 x 27 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	11-33050
75 S	61	52	80	11-33075
75 T	54	52	200	11-33076
100 S	86	77	100	11-33100
100 T	79	77	200	11-33101
125 S	111	77	100	11-33125
125 T	104	77	200	11-33126
150 S	136	127	100	11-33150
150 T	129	127	200	11-33151
200 S	186	177	100	11-33200
200 T	179	177	200	11-33201
250 T	229	177	200	11-33251
300 S	286	277	100	11-33300
300 T	279	277	200	11-33301

S = simple extension: 85 - 90% extension


T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page

54 x 27 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.


Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	11-53050
75 S	61	52	80	11-53075
75 T	54	52	200	11-53076
100 S	86	77	100	11-53100
100 T	79	77	200	11-53101
125 S	111	77	100	11-53125
125 T	104	77	200	11-53126
150 S	136	127	100	11-53150
150 T	129	127	200	11-53151
200 S	186	177	100	11-53200
200 T	179	177	200	11-53201
250 T	229	177	200	11-53251
300 S	286	277	100	11-53300
300 T	279	277	200	11-53301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 36 Eh Part. No. 06-00365
Kit: 30 pieces



Card insert and cellophane (spare part)

For drawers: 54 Eh Part. No. 06-00545
Kit: 30 pieces



Partitioning material
see page 101




Partitioning material
see page 111



Details of partitioning
material on page 112

Standard colours:






Series 33

27 Eh



S Retractable shelves



Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Height mm	Bay width		Load capacity kg*	Extension %	Part. No.
	mm	Eh			
75	714	36	100	85	11-33984
75	714	36	200	100	11-33985
75	1020	54	100	85	11-53984
75	1020	54	200	100	11-53985

* with load evenly distributed

Colours: see colour chart at the bottom of the page



C Tool holder frames
for drawers

Made of steel

C Tool holder frame


Width mm	Depth mm	Drawer Eh	No. of rows	Part. No.
584	447	36x36	3	30-43336
890	447	54x36	3	30-43354

Colour: Light grey RAL 7035

D Frame support, pair

For taper length mm	Height mm	Depth 27 Eh Part. No.
80-160	135-165	30-43310
185-220	195-225	30-43317

Colour: Light grey RAL 7035



Height

Standard colours:

RAL 5012 RAL 6011 RAL 7035



Tool holders




Tool type	RED Part. No.	No. of tools per tool holder	No. of tools per frame Art. Nr 30-43336	No. of tools per frame Art. Nr 30-43354
ISO-SK 25	30-51025	4	15	24
ISO-SK 30	30-51030	1	24	39
ISO-SK 40	30-51040	1	24	39
ISO-SK 45	30-51045	1	18	30
ISO-SK 50	30-51050	1	15	24
HSK 32	30-51432	1	24	42
HSK 40	30-51440	1	24	42
HSK 50	30-51450	1	24	42
HSK 63	30-51463	1	24	39
HSK 80	30-51480	1	18	27
HSK 100	30-51499	1	15	24
CAPTO C3	30-51603	4	12	21
CAPTO C4	30-51604	1	24	42
CAPTO C5	30-51605	1	24	42
CAPTO C6	30-51606	1	21	33
CAPTO C8	30-51608	1	18	27
VDI 20	30-51120	1	24	42
VDI 30	30-51130	1	24	39
VDI 40	30-51140	1	24	36
VDI 50	30-51150	1	18	30
VDI 60	30-51160	1	15	24
58 mm	30-50058	-	24	42
65 mm	30-50065	-	24	39
75 mm	30-50075	-	21	33
87 mm	30-50087	-	18	27
105 mm	30-50105	-	15	24
120 mm	30-50120	-	12	21




Series 33

27 Eh



A Roller shutter doors

Ideal for areas where access is restricted. Fully lockable vertical units fitted to upper part of shelving system, consisting of robust metal housing and plastic horizontal profiles with hand grip for easy operation. Equipped with safety cylinder lock with 2 keys.



B



This door cannot be fitted directly next to sliding or leaf doors.

A Roller shutter doors

Shelving system height mm	Bay width 36 Eh Part. No.	Bay width 2x36 Eh Part. No.	Bay width 45 Eh Part. No.
2000	32-43200	32-47200	-
2200	32-43220	32-47220	-
2500	32-43250	32-47250	-

Shelving system height mm	Bay width 54 Eh Part. No.	Bay width 64 Eh Part. No.	Bay width 78 Eh Part. No.
2000	32-45200	-	-
2200	32-45220	-	-
2500	32-45250	-	-

Colour of plastic profiles: Light grey

Colour of roller shutter housing: see colour chart at the bottom of the page


B Side panels for roller shutter doors

Shelving system height mm	Right side 27 Eh Part. No.	Left side 27 Eh Part. No.
2000	32-52200	32-52201
2200	32-52220	32-52221
2500	32-52250	32-52251

Colours: see colour chart at the bottom of the page



Leaf doors



54 Eh

36 Eh

55 mm

Made of high-quality sheet steel. Equipped with safety cylinder lock with 2 keys.



This door cannot be fitted directly next to roller shutter or sliding doors.

Shelving system height mm	Bay width 36 Eh Part. No.	Bay width 45 Eh Part. No.	Bay width 54 Eh Part. No.	Bay width 64 Eh Part. No.	Bay width 78 Eh Part. No.
Starter bay					
1000	32-33100	-	32-35100	-	-
2000	32-33200	-	32-35200	-	-
2200	32-33220	-	32-35220	-	-
2500	32-33250	-	32-35250	-	-
Extension bay					
1000	32-33100-A	-	32-35100-A	-	-
2000	32-33200-A	-	32-35200-A	-	-
2200	32-33220-A	-	32-35220-A	-	-
2500	32-33250-A	-	32-35250-A	-	-

Colours: see colour chart at the bottom of the page


Standard colours:

RAL 5012 RAL 6011 RAL 7035






Sliding doors



Made of high-quality sheet steel. Positioned over 2 bays, sliding doors run on sealed-roller bearings in tracks fitted to the top and the bottom of the shelving unit. Equipped with safety lock and 2 keys.

 This door cannot be fitted directly next to roller shutter or leaf doors.

A Sliding doors

Shelving system height mm	Bay width 2x36 Eh Part. No.	Bay width 2x45 Eh Part. No.	Bay width 2x54 Eh Part. No.	Bay width 2x64 Eh Part. No.	Bay width 2x78 Eh Part. No.
1000	32-23100	-	32-25100	-	-
2000	32-23200	-	32-25200	-	-
2200	32-23220	-	32-25220	-	-
2500	32-23250	-	32-25250	-	-

Colours: see colour chart at the bottom of the page

Central panels for uprights

Made of high-quality sheet steel

To be fitted into the uprights, ideal for closing internal sections with drawers and shelves.


Height mm	Depth mm	Width mm	Part. No.
1000	553	53	33-59110
1450	553	53	33-59145
2000	553	53	33-59120
2200	553	53	33-59122
2500	553	53	33-59125
3000	553	53	33-59130

Colours: see colour chart at the bottom of the page

B Finishing cover panels for sliding doors

Shelving height mm	Part. No.
1000	32-20100
2000	32-20200
2200	32-20220
2500	32-20250


Colours: see colour chart at the bottom of the page




Work surfaces

in Multiplex

Bay width mm	Eh	Usable width mm	Usable depth mm	Thickness mm	Part. No.
714	36	661	553	40	33-52336
1020	54	967	553	40	33-52354



Standard colours:





Series 33

36 Eh

Universal shelving system with drawers and shelves






Universal shelving system with vertical drawers see page 194





Shelving system with drawers and shelves, depth 36 Eh see page 204



Standard colours:
 RAL 5012 RAL 6011 RAL 7035
  



 5-year Guarantee

 **For your safety all shelving systems must be secured to the floor or wall**

 Fixing material for shelving
 Part. No. 06-00046



Technical specifications



Internal dimensions

A Bay	Bay width 714 mm = 36 Eh	Usable width= 661 mm
	Bay width 867 mm = 45 Eh	Usable width= 814 mm
	Bay width 1020 mm = 54 Eh	Usable width= 967 mm
	Bay width 1190 mm = 64 Eh	Usable width= 1137 mm
	Bay width 1428 mm = 78 Eh	Usable width= 1375 mm

B Shelving system depth	706 mm
	816 mm with Sliding doors
	776 mm with Roller shutter doors
	761 mm with Leaf doors

C Shelving system height with	1000 mm	1450 mm	2000 mm	2200 mm	2500 mm	3000 mm	
	Sliding doors	1000 mm	-	2000 mm	2200 mm	2500 mm	-
	Roller shutter doors	-	-	2250 mm	2450 mm	2750 mm	-
	Leaf doors	1000 mm	-	2000 mm	2200 mm	2500 mm	-

Uprights are slotted in increments of 25 mm

Load capacity

Shelving system height mm	No. of universal shelves	Usable height	Distance between upper - central-lower shelf mm	Load capacity per upright Kg
1000	2	900	-	5500
1450	2	1350	-	5000
2000	2	1900	-	4500
2000	3	1850	800-1200	5500
2200	3	2050	900-1300	5500
2500	3	2350	1050-1450	5250
3000	3	2850	1300-1700	5000




Load capacity is intended for evenly distributed loads



Series 33

36 Eh



Uprights

Made of high-quality steel, slotted in increments of 25 mm

Height mm	Depth mm	Width mm	Part. No.
1000	706	53	33-70010
1450	706	53	33-70014
2000	706	53	33-70020
2200	706	53	33-70022
2500	706	53	33-70025
3000	706	53	33-70030

Colours: see colour chart at the bottom of the page



Side panels

Made of high quality steel. Vertical finishing panels for end of bay-run



M10x110

Pair
Part. No.
06-00046



Height mm	Depth mm	Width mm	No. of panels	Part. No.
1000	706	23	1	33-75100
1450	706	23	1	33-75145
2000	706	23	2	33-75200
2200	706	23	2	33-75220
2500	706	23	2	33-75250
3000	706	23	2	33-75300

Colours: see colour chart at the bottom of the page



Back panels

Made of high-quality steel

To be used as an alternative to cross bracing fitted onto uprights to stabilise the unit bay.

Upright height mm	Bay 36 Eh Part. No.	Bay 45 Eh Part. No.	Bay 54 Eh Part. No.	Bay 64 Eh Part. No.	Bay 78 Eh Part. No.
1000	32-13610	32-14510	32-15410	32-16410	32-17810
1450	32-13614	32-14514	32-15414	32-16414	32-17814
2000	32-13620	32-14520	32-15420	32-16420	32-17820
2200	32-13622	32-14522	32-15422	32-16422	32-17822
2500	32-13625	32-14525	32-15425	32-16425	32-17825
3000	32-13630	32-14530	32-15430	32-16430	32-17830


Colours: see colour chart at the bottom of the page



Cross bracings

Made of galvanised steel. To be used as an alternative to back panels, fitted onto uprights to stabilise the unit bay.

Bay width mm	Eh	Shelving height	Part. No.
714	36	1000-1450	32-13710
714	36	2000-3000	32-13720
867	45	1000-1450	32-14610
867	45	2000-3000	32-14620
1020	54	1000-1450	32-15510
1020	54	2000-3000	32-15520
1190	64	1000	32-16510
1190	64	1450	32-16514
1190	64	2000-3000	32-16520
1428	78	1000	32-17910
1428	78	1450	32-17914
1428	78	2000-3000	32-17920




For safety, cross bracings must be used every third bay-section.

Standard colours:

RAL 5012 RAL 6011 RAL 7035



For your safety all shelving systems must be secured to the floor or wall




Universal shelves

Made of high-quality steel

Bay width		Usable width	Usable depth	Height	Plain Part. No.
mm	Eh	mm	mm	mm	
714	36	661	705	50	33-71036
867	45	814	705	50	33-71045
1020	54	967	705	50	33-71054
1190	64	1137	705	50	33-71064
1428	78	1375	705	50	33-71078

Load capacity: 200kg

Colours: see colour chart at the bottom of the page



Adjustable shelves

Made of high-quality steel


Bay width		Usable width	Usable depth	Height	Slotted Part. No.
mm	Eh	mm	mm	mm	
714	36	661	705	35	33-72035
867	45	814	705	35	33-72045
1020	54	967	705	35	33-72055
1190	64	1137	705	35	33-72065
1428	78	1375	705	35	33-72075

Load capacity: 200kg

Colours: see colour chart at the bottom of the page

Hooks (spare part)-Kit : 16 pieces

52-00006




Shelf dividers

Made of high-quality steel

Depth	Height	Part. No.
mm	mm	
690	95	33-72010
690	145	33-72015
690	195	33-72020

Colour: Light grey RAL 7035




Adjustable shelves for locking system

Made of high-quality steel. Lateral supports included

Bay width		Usable width	Usable depth	Height	Part. No.
mm	Eh	mm	mm	mm	
714	36	661	620	35	33-72038
867	45	814	620	35	33-72048
1020	54	967	620	35	33-72058
1190	64	1137	620	35	33-72068
1428	78	1375	620	35	33-72078

Load capacity: 70kg

Colours: see colour chart at the bottom of the page




Shelf cover panels

Made of high-quality steel

Depth	Width	Part. No.
mm	mm	
597	80	33-73001

Colour: Light grey RAL 7035




Lower shelves

Made of high-quality steel

Bay width		Usable width	Usable depth	Height	Part. No.
mm	Eh	mm	mm	mm	
714	36	661	680	48	33-70036
867	45	814	680	48	33-70045
1020	54	967	680	48	33-70054
1190	64	1137	680	48	33-70064
1428	78	1375	680	48	33-70078

Load capacity: 150kg

Colours: see colour chart at the bottom of the page




Shelf side panels


Made of high-quality steel

Depth	Height	Part. No.
mm	mm	
659	150	33-73015
659	200	33-73020
659	250	33-73025

Colour: Light grey RAL 7035

 Load capacity is intended for evenly distributed loads


Standard colours:






Series 33

36 Eh



Upper shelves A
Lower shelves B
for partial height



Upper shelves C
Central shelves D
Lower shelves B
for full height

	Bay width		Usable width mm	Usable depth mm	Height mm	Part. No.
	mm	Eh				
A	714	36	661	705	50	33-71132
B	714	36	661	705	50	33-71134
A	867	45	814	705	50	33-71142
B	867	45	814	705	50	33-71144
A	1020	54	967	705	50	33-71152
B	1020	54	967	705	50	33-71154
A	1190	64	1137	705	50	33-71162
B	1190	64	1137	705	50	33-71164
A	1428	78	1375	705	50	33-71172
B	1428	78	1375	705	50	33-71174


Load capacity: 200kg

Colours: see colour chart at the bottom of the page

	Bay width		Usable width mm	Usable depth mm	Height mm	Part. No.
	mm	Eh				
C	714	36	661	705	50	33-71131
D	714	36	661	705	50	33-71133
B	714	36	661	705	50	33-71134
C	867	45	814	705	50	33-71141
D	867	45	814	705	50	33-71143
B	867	45	814	705	50	33-71144
C	1020	54	967	705	50	33-71151
D	1020	54	967	705	50	33-71153
B	1020	54	967	705	50	33-71154
C	1190	64	1137	705	50	33-71161
D	1190	64	1137	705	50	33-71163
B	1190	64	1137	705	50	33-71164
C	1428	78	1375	705	50	33-71171
D	1428	78	1375	705	50	33-71173
B	1428	78	1375	705	50	33-71174


Load capacity: 200kg

Colours: see colour chart at the bottom of the page



Drawer locking systems
partial height

Usable height mm	Art. Nr.
300	33-73030
450	33-73045
600	33-73060
700	33-73070
750	33-73075
900	33-73090
1050	33-73105
1225	33-73122
1350	33-73135
1525	33-73152



Drawer locking systems
full height

Shelving height mm	Usable height mm	Part. No.
2000	900+950	33-73200
2200	900+1150	33-73220
2500	900+1450	33-73250
3000	900+1950	33-73300



Standard colours:

RAL 5012 RAL 6011 RAL 7035



36 x 36 Eh

Drawers



Made of high-quality sheet steel.
Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-33050
75 S	61	52	80	10-33075
75 T	54	52	200	10-33076
100 S	86	77	100	10-33100
100 T	79	77	200	10-33101
125 S	111	77	100	10-33125
125 T	104	77	200	10-33126
150 S	136	127	100	10-33150
150 T	129	127	200	10-33151
175 T	154	127	200	10-33176
200 S	186	177	100	10-33200
200 T	179	177	200	10-33201
250 T	229	177	200	10-33251
300 S	286	277	100	10-33300
300 T	279	277	200	10-33301
400 T	379	277	200	10-33401

S = simple extension: 85 - 90% extension
T = total extension: 100% extension
* with load evenly distributed and at least one slotted divider in the middle
Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page





Card insert and cellophane (spare part)
For drawers: 36 Eh Part. No. **06-00365**
Kit: 30 pieces



Partitioning material
see page 43

45 x 36 Eh

Drawers



Made of high-quality sheet steel.
Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-43050
75 S	61	52	80	10-43075
75 T	54	52	200	10-43076
100 S	86	77	100	10-43100
100 T	79	77	200	10-43101
125 S	111	77	100	10-43125
125 T	104	77	200	10-43126
150 S	136	127	100	10-43150
150 T	129	127	200	10-43151
200 S	186	177	100	10-43200
200 T	179	177	200	10-43201
250 T	229	177	200	10-43251
300 S	286	277	100	10-43300
300 T	279	277	200	10-43301

S = simple extension: 85 - 90% extension
T = total extension: 100% extension
* with load evenly distributed and at least one slotted divider in the middle
Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)
For drawers: 45 Eh Part. No. **06-00455**
Kit: 30 pieces




Partitioning material
see page 55



Details of partitioning material
on page 112


Standard colours:







Series 33

36 Eh




54 x 36 Eh

Drawers



64 x 36 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-53050
75 S	61	52	80	10-53075
75 T	54	52	200	10-53076
100 S	86	77	100	10-53100
100 T	79	77	200	10-53101
125 S	111	77	100	10-53125
125 T	104	77	200	10-53126
150 S	136	127	100	10-53150
150 T	129	127	200	10-53151
200 S	186	177	100	10-53200
200 T	179	177	200	10-53201
250 T	229	177	200	10-53251
300 S	286	277	100	10-53300
300 T	279	277	200	10-53301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 54 Eh Part. No. 06-00545
Kit: 30 pieces



Partitioning material
see page 65

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
75 T	54	52	200	10-63076
100 T	79	77	200	10-63101
125 T	104	77	200	10-63126
150 T	129	127	200	10-63151
200 T	179	177	200	10-63201
250 T	229	177	200	10-63251
300 T	279	277	200	10-63301

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 64 Eh Part. No. 06-00645
Kit: 30 pieces



Partitioning material
see page 70


Standard colours:

RAL 5012 RAL 6011 RAL 7035



78 x 36 Eh

Drawers




Made of high-quality sheet steel.
Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer-handles are equipped with aluminium profiles, end caps and labelling strips

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
75 T	54	52	200	10-73076
100 T	79	77	200	10-73101
125 T	104	77	200	10-73126
150 T	129	127	200	10-73151
175 T	154	127	200	10-73176
200 T	179	177	200	10-73201
250 T	229	177	200	10-73251
300 T	279	277	200	10-73301

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page




Card insert and cellophane (spare part)

For drawers: 78 Eh Part. No. **06-00785**
Kit: 30 pieces



Partitioning material
see page 76



Made of high-quality sheet steel.
Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Height mm	Bay width mm	Eh	Load capacity kg *	Extension %	Part. No.
75	714	36	100	85	10-33984
75	714	36	200	100	10-33985
75	867	45	100	85	10-43984
75	867	45	200	100	10-43985
75	1020	54	100	85	10-53984
75	1020	54	200	100	10-53985
75	1190	64	200	100	10-63985
75	1428	78	200	100	10-73985


* with load evenly distributed

Colours: see colour chart at the bottom of the page



Details of partitioning
material on page 112

Standard colours:





Series 33

36 Eh



Tool holder frames for drawers

Made of steel

C Tool holder frame


Width mm	Depth mm	Depth Eh	No. of row	Part. No.
584	596	36x36	4	30-43436
737	596	45x36	4	30-43445
890	596	54x36	4	30-43454
1060	596	64x36	4	30-43464

Colour: Light grey RAL 7035

D Frame support, pair

For taper length mm	Height mm	Depth 36 Eh Part. No.
80-160	135-165	30-43410
185-220	195-225	30-43417

Colour: Light grey RAL 7035



Tool holders




Tool type	RED Part. No.	No. of tools per tool holder	No. of tools per cradle Art. Nr 30-43436	No. of tools per frame Art. Nr 30-43445	No. of tools per frame Art. Nr 30-43454	No. of tools per frame Art. Nr 30-43464
ISO-SK 25	30-51025	4	20	24	32	36
ISO-SK 30	30-51030	1	32	40	52	60
ISO-SK 40	30-51040	1	32	40	52	60
ISO-SK 45	30-51045	1	24	32	40	48
ISO-SK 50	30-51050	1	20	24	32	40
HSK 32	30-51432	1	32	48	56	68
HSK 40	30-51440	1	32	48	56	68
HSK 50	30-51450	1	32	48	56	68
HSK 63	30-51463	1	32	40	52	60
HSK 80	30-51480	1	24	32	36	44
HSK 100	30-51499	1	20	24	32	36
CAPTO C3	30-51603	4	16	20	28	32
CAPTO C4	30-51604	1	32	48	56	68
CAPTO C5	30-51605	1	32	48	56	68
CAPTO C6	30-51606	1	28	38	44	52
CAPTO C8	30-51608	1	24	32	26	36
VDI 20	30-51120	1	32	48	56	68
VDI 30	30-51130	1	32	40	52	60
VDI 40	30-51140	1	32	40	48	60
VDI 50	30-51150	1	24	32	40	48
VDI 60	30-51160	1	20	24	32	40
58 mm	30-50058	-	32	48	56	68
65 mm	30-50065	-	32	40	52	60
75 mm	30-50075	-	28	36	44	52
87 mm	30-50087	-	24	32	36	44
105 mm	30-50105	-	20	24	32	36
120 mm	30-50120	-	16	20	28	32




Series 33

36 Eh



A Roller shutter doors

Ideal for areas where access is restricted. Fully lockable vertical units fitted to upper part of shelving system, consisting of robust metal housing and plastic horizontal profiles with hand grip for easy operation. Equipped with safety cylinder lock with 2 keys.



B



This door cannot be fitted directly next to sliding or leaf doors.

A Roller shutter doors

Shelving system height mm	Bay width 36 Eh Part. No.	Bay width 2x36 Eh Part. No.	Bay width 45 Eh Part. No.
2000	32-43200	32-47200	32-44200
2200	32-43220	32-47220	32-44220
2500	32-43250	32-47250	32-44250

Shelving system height mm	Bay width 54 Eh Part. No.	Bay width 64 Eh Part. No.	Bay width 78 Eh Part. No.
2000	32-45200	32-46200	32-47200
2200	32-45220	32-46220	32-47220
2500	32-45250	32-46250	32-47250

Colour of plastic profiles: Light grey

Colour of roller shutter housing: see colour chart at the bottom of the page


B Side panels for roller shutter doors

Shelving system height mm	Right side 36 Eh Part. No.	Left side 36 Eh Part. No.
2000	32-72200	32-72201
2200	32-72220	32-72221
2500	32-72250	32-72251

Colours: see colour chart at the bottom of the page



Leaf doors



54 / 64 / 78 Eh

36 / 45 Eh

55 mm

Made of high-quality sheet steel. Equipped with safety cylinder lock with 2 keys.



This door cannot be fitted directly next to roller shutter or sliding doors.

Shelving system height mm	Bay width 36 Eh Part. No.	Bay width 45 Eh Part. No.	Bay width 54 Eh Part. No.	Bay width 64 Eh Part. No.	Bay width 78 Eh Part. No.
Starter bay					
1000	32-33100	32-34100	32-35100	32-36100	32-37100
2000	32-33200	32-34200	32-35200	32-36200	32-37200
2200	32-33220	32-34220	32-35220	32-36220	32-37220
2500	32-33250	32-34250	32-35250	32-36250	32-37250
Extension bay					
1000	32-33100-A	32-34100-A	32-35100-A	32-36100-A	32-37100-A
2000	32-33200-A	32-34200-A	32-35200-A	32-36200-A	32-37200-A
2200	32-33220-A	32-34220-A	32-35220-A	32-36220-A	32-37220-A
2500	32-33250-A	32-34250-A	32-35250-A	32-36250-A	32-37250-A

Colours: see colour chart at the bottom of the page


Standard colours:

RAL 5012 RAL 6011 RAL 7035






Sliding doors



Made of high-quality sheet steel. Positioned over 2 bays, sliding doors run on sealed-roller bearings in tracks fitted to the top and the bottom of the shelving unit. Equipped with safety lock and 2 keys.

 This door cannot be fitted directly next to roller shutter or leaf doors.

Central panels for uprights

Made of high-quality sheet steel

To be fitted into the uprights, ideal for closing internal sections with drawers and shelves.

Height mm	Depth mm	Width mm	Part. No.
1000	706	53	33-79110
1450	706	53	33-79145
2000	706	53	33-79120
2200	706	53	33-79122
2500	706	53	33-79125
3000	706	53	33-79130

Colours: see colour chart at the bottom of the page

A Sliding doors


Shelving system height mm	Bay width	Bay width	Bay width	Bay width	Bay width
	2x36 Eh	2x45 Eh	2x54 Eh	2x64 Eh	2x78 Eh
	Part. No.	Part. No.	Part. No.	Part. No.	Part. No.
1000	32-23100	32-24100	32-25100	32-26100	32-27100
2000	32-23200	32-24200	32-25200	32-26200	32-27200
2200	32-23220	32-24220	32-25220	32-26220	32-27220
2500	32-23250	32-24250	32-25250	32-26250	32-27250

Colours: see colour chart at the bottom of the page

B Finishing cover panels for sliding doors

Shelving height mm	Part. No.
1000	32-20100
2000	32-20200
2200	32-20220
2500	32-20250


Colours: see colour chart at the bottom of the page



Work surfaces

in Multiplex

Bay width mm	Eh	Usable width mm	Usable depth mm	Thickness mm	Part. No.
714	36	661	705	40	33-72336
867	45	814	705	40	33-72345
1020	54	967	705	40	33-72354
1190	64	1137	705	40	33-72364
1428	78	1375	705	40	33-72378



Standard colours:

